# **MONITOR**

42" HDMI and VGA LED Monitor



#### **Key Features**

- 1920 × 1080
- 8ms fast response time
- HDMI inputs
- 16:9 aspect ratio

- Supports 24/7 continuous use
- Desk stand (Detachable)
- Standard and VESA mount options

The Genie LMV-42 is a 42" LED monitor.
The monitor has a fast response time of 8ms so no image ghosting and is also able to continually work for 24/7. The monitor features a detachable stand and is able to fit standard and VESA mount options.





# **Specification**

#### **Monitor**

Panel Type	LED
Maximum Resolution	1920 (H) x 1080 (V)
MTBF	40,000 hrs
Active Display Area	940.896 (H) × 529.254 (V) mm
Pixel Pitch	0.163 (H) × 0.490 (V) mm
Bezel Thickness	T: 12.82 mm L/R: 12.32 mm, B: 18.91 mm
Contrast Ratio	1200 : 1
Brightness	250 cd / m2
Response Time	8 ms (G to G)
Viewing Angle	89 / 89 U / D 89 / 89°
Display Colours	16.7 M
Video Synchronisation	Yes
PC Compatibility	Yes
Aspect Ratio	16:9
VGA Auto Frequency Correction	Yes
Number of Speakers	2
Sound Demodulation	Stereo
Mute	Yes
Volume +/- Power On/Off	Yes

## Interface

Video Interface	VGA, HDMI, 1 x BNC in, 1 x BNC out, Audio
Audio Interface	3.5 mm Jackplug
Power Interface	AC
Termination	75 ohm

#### Others

OSD Controls	Video Picture, Brightness, Contrast, Hue, Saturation, Sharpness, Colour Temp, Picture Mode
	OSD Language, H-position, V-position, Duration, Backlight, Mem-recall,
	Function Hstart, Hsize, Vstart, Vsize, Audio-Bass, Treble, Balance, Sound mode, AVC
OSD Languages	English, French, German, Spanish, Italian, Russian, Portuguese and Polish
Work Humidity	0% - 80%
Work Temperature	0 − 50 °C
Power Supply	AC110 - 240V 1A
Power Consumption	80 W
Voltage	AC110 - 240V
Vesa Standard Mount	200 × 200 mm
Stand Type	Picture Frame
Colour	Black
<b>Button Position</b>	Left Back
Case Type	Plastic Case
Dimensions	968.97 × 564.29 × 53.5 mm
Net Weight	9 Kg



## **Dimensions**







