

GCN7000W

VIDEO INTERCOM

Video Intercom Indoor Station – White



Key Features

- 7 inch IPS touch screen
- A maximum of 6 indoor stations can be installed in the same room
- Supports live preview of door stations and linked cameras
- Supports snapshot when calling via door station (micro SD card required)
- Supports "Do Not Disturb" function
- Supports noise suppression and echo cancellation
- 8CH zone alarm access function
- Self-define unlocking password
- Supports 2.4G WIFI
- Supports 1CH 12V200mA power output for powering up a sensor

The Genie **GCN7000W** is a modern indoor intercom system featuring a beautiful 7-inch IPS touchscreen and user-friendly interface.

Up to six indoor panels can be attached per apartment, and up to 500 apartments can be connected to a single GCN4000 call panel enabling seamless communication and monitoring. Designed for convenience, it includes a "Do Not Disturb" mode, noise suppression, and echo cancellation for crystal clear audio. Security is enhanced with an embedded 8-zone alarm function, customisable unlocking password, and a 12V power output for sensor integration.



Specification

System

Operating System Linux

Display

Display Screen 7 inch IPS touch screen
Display Resolution 1024 × 600, brightness:300 cd/m2
Operation Method Capacitive touch screen

Video

Video Input Max. 4CH videos can be viewed simultaneously
Network Input Resolution 6MP/5MP/4MP/3MP/1080P/1280×1024 /960P/720P/960H/D1/CIF
Compression H.265+/H.265/ H.264

Audio

Local Input Built-in microphone
Local Output Built-in speaker
Compression G.711(U/A)

Record

Resolution Up to 8MP
Frame Rate NTSC: 30fps; PAL:25fps

Performance

Linked IPC Max. 16 CH
Linked Indoor Extensions Max. 5

Network

Interface RJ 45 100 Mbps self-adaptive Ethernet port × 1
Wireless Network WiFi 802.11b/g/n
Protocol TCP / IP, DHCP, DNS, NTP, etc.
Incoming/Outgoing Bandwidth 40/40Mbps


Interface

Audio Built-in speaker and microphone, support noise suppression and echo cancellation
Storage Built-in micro SD card slot, up to 256GB
Reset Yes
Alarm Input 8CH
Wi-Fi Yes, 2.4G Wi-Fi
Unlocking Button Yes
RS 485 Reserved
Power Output DC12V 200mA (only available when DC12V power supply is used)

Others

Simultaneous Playback Max.1CH
Power DC12V/POE
Power Consumption < 6W
Dimensions(mm) 180.6 × 135.6 × 26.8
Wi-Fi Yes, 2.4G Wi-Fi
Weight (net) Approx. 0.36kg
Installation Wall mounting
Working Environment -20 °C ~ 50 °C , Humidity: less than 95% (non-condensing)
Certificate CE, FCC
Environmental Protection Complies with Directive EU RoHS, REACH and WEE

Dimensions



Accessories



GCN7000FMB
Flush Mount Box